

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

Title V Permit Summary

AQMD Facility ID: 61536		Company Name: Specialty Finishes Co.																	
Equipment Location: 15310 Arrow Route, Fontana, CA 92335			SIC Code: 3087																
Permit Revision #:	Revision Date:	Facility Permit Section(s) Affected:																	
Application #(s): 513961		Application Submittal Date(s): 08/19/2010																	
AQMD Contact Person: Hamed Mandilawi		Phone #: (909) 396-3275	E-Mail Address: hmandilawi@aqmd.gov																
Project Description: This is an existing facility applying for a Title V permit renewal that is engaged in the manufacturing of industrial paint. The facility operates paint mixing systems, sandmills, and other supporting equipment. Particulate matter emissions from the paint mixing systems are controlled by two air pollution control equipment baghouses. Volatile organic compounds emissions from the paint mixing systems and sandmills are controlled by an air pollution control equipment catalytic oxidizer.																			
Permit Type: <input type="checkbox"/> Initial Title V Permit <input type="checkbox"/> Significant Revision <input checked="" type="checkbox"/> Permit Renewal																			
Permit Features: <input checked="" type="checkbox"/> Federally Enforceable Emission Cap For Exemption From Certain NESHAP Requirements <input type="checkbox"/> Permit Shield Applies <input type="checkbox"/> Permit Contains Conditions Allowing Emission Trading <input type="checkbox"/> Alternative Operating Scenario <input type="checkbox"/> Permit Streamlines Overlapping or Outdated Requirements <input type="checkbox"/> Other: _____ <input type="checkbox"/> Source Out of Compliance With Applicable Requirements and/or Operating Under a Variance																			
Toxic Air Contaminant Emissions (TAC) - Annual Reported Emissions for Reporting Year: 2009		<input type="checkbox"/> No TACs Reported <input checked="" type="checkbox"/> <u>The Following TACs Were Reported:</u> <table style="margin-left: 20px; width: 100%;"> <thead> <tr> <th></th> <th style="text-align: right;"><u>Emissions (lbs/yr):</u></th> </tr> </thead> <tbody> <tr><td>1,2,4 Trimebenze</td><td style="text-align: right;">465</td></tr> <tr><td>Ethyl Benzene</td><td style="text-align: right;">419</td></tr> <tr><td>Glycol Ethers</td><td style="text-align: right;">755</td></tr> <tr><td>Methyl Ethyl keytone</td><td style="text-align: right;">274</td></tr> <tr><td>Naphthalene</td><td style="text-align: right;">394</td></tr> <tr><td>Xylenes</td><td style="text-align: right;">2208</td></tr> <tr><td>Manganese</td><td style="text-align: right;">176</td></tr> </tbody> </table>			<u>Emissions (lbs/yr):</u>	1,2,4 Trimebenze	465	Ethyl Benzene	419	Glycol Ethers	755	Methyl Ethyl keytone	274	Naphthalene	394	Xylenes	2208	Manganese	176
	<u>Emissions (lbs/yr):</u>																		
1,2,4 Trimebenze	465																		
Ethyl Benzene	419																		
Glycol Ethers	755																		
Methyl Ethyl keytone	274																		
Naphthalene	394																		
Xylenes	2208																		
Manganese	176																		
Health Risk From Toxic Air Contaminants:		<input type="checkbox"/> Health Risk Reduction Plan in Force (AQMD Rule 1402) (date): _____ <input type="checkbox"/> Health Risk Assessment Required for this Permit Action (AQMD Rule 1401) <input checked="" type="checkbox"/> Facility is Subject to Review by the Air Toxics Information and Assessment Act (AB2588) <input type="checkbox"/> Facility Determined to be Exempt from AB2588 Requirements <input checked="" type="checkbox"/> AQMD is Tracking Status of Facility under AB2588 <input type="checkbox"/> Health Risk Assessment Submitted to AQMD and Is Being Reviewed <input type="checkbox"/> Final Facility Health Risk Approved (date) _____ Cancer Risk = _____ in one million Acute Hazard Index = _____ Chronic Hazard Index = _____																	
Criteria Pollutant Emissions Annual Reported Emissions (tons/year) for Reporting Year: 2009		<table style="width: 100%;"> <tbody> <tr> <td><input checked="" type="checkbox"/> NOx</td> <td>0.001</td> <td><input checked="" type="checkbox"/> PM</td> <td>1.518</td> </tr> <tr> <td><input checked="" type="checkbox"/> CO</td> <td>0.001</td> <td><input checked="" type="checkbox"/> SOx</td> <td>0.001</td> </tr> <tr> <td><input checked="" type="checkbox"/> VOC</td> <td>9.434</td> <td><input type="checkbox"/> Other:</td> <td>_____</td> </tr> </tbody> </table>		<input checked="" type="checkbox"/> NOx	0.001	<input checked="" type="checkbox"/> PM	1.518	<input checked="" type="checkbox"/> CO	0.001	<input checked="" type="checkbox"/> SOx	0.001	<input checked="" type="checkbox"/> VOC	9.434	<input type="checkbox"/> Other:	_____				
<input checked="" type="checkbox"/> NOx	0.001	<input checked="" type="checkbox"/> PM	1.518																
<input checked="" type="checkbox"/> CO	0.001	<input checked="" type="checkbox"/> SOx	0.001																
<input checked="" type="checkbox"/> VOC	9.434	<input type="checkbox"/> Other:	_____																
Compliance History: <input checked="" type="checkbox"/> Citizen Complaints Filed in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices to Comply Issued in Last Two Calendar Years (0) <input checked="" type="checkbox"/> Notices of Violation Issued in Last Two Calendar Years (0)																			
Comments:																			